


# **EURO-NORM basicline**







#### CONTACT

bekuplast GmbH Industriestraße 1 49824 Ringe Germany

Tel. +49 5944 9333-0 Fax +49 5944 9333-50 info@bekuplast.com www.bekuplast.com









#### **Getting Things Moving with Attention Grabbing Reusable Solutions!**



Back in 1985, the medium sized family company bekuplast began to successfully manufacture reusable transport packaging made of plastic. On an international scale, bekuplast develops, produces and markets containers, shelving units, trays and pallets.

In addition to a comprehensive range of standard products and a large number of industry specific solutions, the company has established itself as a provider of individual product solutions. Pushing logistics forward with sustainable solutions represents both the company's aim as well as its motivation.

#### bekuplast - Family business and Global Player


The bekuplast group of companies is one of Europe's leading manufacturers of reusable transport packaging made of plastic. The group is headquartered in Ringe, Germany, not far from the Dutch border. The bekuplast group of companies has two production facilities. The centrepiece is our state-of-the-art facility at our German headquarters. It covers approx. 120,000 m² with powerful injection moulding machines and state-of-the-art robot technology to produce around 20 million products annually.

Our international activities are supported by our subsidiaries in Germany, the Netherlands, and Poland. Each day, over 500 employees of the group work for bekuplast in the field of development, production and sales with enthusiasm and a passion for the quality of the products. Regular audits are carried out in order to guarantee and further improve the high quality standards. bekuplast is successfully certified in accordance with:

- + ISO 9001 (Quality management)
- + ISO 14001 (Environmental management)
- + ISO 50001 (Energy management)

#### Locations

- bekuplast GmbH
  Ringe, Deutschland
- Schiphorst B. V.
  Deventer, Niederlande
- 3 bekuplast S. A. Łaziska Górne, Polen
- 4 Surplus Systems GmbH, Bonn, Deutschland





#### **Cleverly Designed, Efficiently Produced!**

Years of experience, expertise and a precise knowledge of market requirements make us a competent partner. Qualified employees, market-oriented developments and modern technologies form the basis of our company's success.

#### **Production Site, Ringe**

- + injection moulding technology incl. water injection, in-mould labelling and 2K technology
- + 33 injection moulding machines with clamping force up to 1,500 tons
- + 3 large machines with clamping forces up to 3,000 tons
- high degree of automation with 40 linear robots and 29 articulated robots
- + RFID realisation
- finishing centre with printing machines, welding machines, milling machines, and automated labelling

#### **Development**


- + development of functional and individual reusable solutions
- application of modern R&D tools
  - + e-drawings
  - + 3-D CAD
  - + rapid prototyping
  - + finite element method (FEM)
  - + fill simulation studies
- + in-house test lab



**High Degree of Automation** 



Modern Production



**Application of Robot Technology** 

#### basicline - Versatile, Flexible, Universal!

basicline is a high-quality Euro norm series for the food and non-food sector. On account of the diversity of variants, the light, yet very stable containers made of PP-C (polypropylene copolymer) are perfectly suited to almost every application.

As such it is possible to combine various bases as required, including closed or perforated side walls, closed or open handgrips and suitable accessories. It is not just the functionality of basicline that convinces the user, the containers' appearance is also valued. Curved shapes and the characteristic pattern of the perforated version give the containers their typical design.

## basicline - Plus Points at a Glance!

- available in the basic sizes 200 x 150 mm,
  300 x 200 mm, 400 x 300 mm and 600 x 400 mm
- + in six different heights
- easy to clean and as such, ideal for food logistics
- available as a closed and perforated version
- suitable for manual handling and automatic conveyor technology
- stability as a result of a strengthened frame and corner construction
- + fitted with ergonomically shaped handles
- made from PP-C (polypropylene copolymer)
- + 100 % recyclable





Stable Corner



Closed Handgrip



Open Handgrip




Easy to Clean Surfaces



|   | Load Capacity<br>up to | Article No.   |
|---|------------------------|---------------|
| closed, smooth base                                   | 20 kg                  | хххх/0003хх   |
| closed, smooth base, with<br>drainage holes for water | 20 kg                  | хохох/0003хох |
| ribbed, perforated base                               | 30 kg                  | хххх/3300хх   |
| ribbed, closed base                                   | 30 kg                  | xxxx/0000xx   |


### **Expandable in a variety of ways**

Suitable insert containers, glass inserts and transportation trolleys are available for the basicline Euro-standard containers, which you will find in the chapter 'Accessories'.






#### «basicline mini» - Perfect for All Small items














| Outer Dimensions<br>(in mm)        | Sid    | es         |                        | Botte  | om                     |                            | Hand             | grips                       | Volume                     | Weight                        | Stock Item in Colour(s) | PU             | Article No.                               |
|------------------------------------|--------|------------|------------------------|--|------------------------|----------------------------|------------------|-----------------------------|----------------------------|-------------------------------|-------------------------|----------------|---|
| Inner Dimensions<br>(in mm)        | closed | perforated | closed,<br>smooth base | closed, smooth base,<br>with drainage holes<br>for water | ribbed,<br>closed base | ribbed,<br>perforated base | closed handgrips | open handgrips              |                            |                               |                         |                |   |
| 400 x 300 x 70<br>367 x 268 x 67   | V      |            | <b>V</b>               |  |                        |                            | <b>V</b>         |                             | 6.41                       | 470 g                         |                         | 136            | 0741/000300                               |
| 400 x 300 x 120<br>367 x 268 x 117 | ~      |            | V                      | •  |                        |                            | ~                |                             | 11.2                       | 690 g                         |                         | 160            | 1241/000300                               |
| 400 x 300 x 170<br>367 x 268 x 167 | v<br>v |            | <i>V</i>               | •  |                        |                            | ~                | •                           | 15.9 l<br>15.9 l           | 850 g<br>850 g                | :                       | 112<br>112     | 1742/000300<br>1741/000300                |
| 400 x 300 x 220<br>367 x 268 x 217 | V<br>V |            | <i>V</i>               |  |                        | *                          | ~                | •                           | 20.8 l<br>20.8 l           | 1,030 g<br>1,030 g            | :                       | 80<br>80       | 2242/000300<br>2241/000300                |
| 400 x 300 x 270<br>367 x 268 x 267 | ンソン    |            | V<br>V                 |  | <i>'</i>               |                            | ~                | <ul><li></li><li></li></ul> | 25.6 l<br>25.6 l<br>25.6 l | 1,300 g<br>1,300 g<br>1,310 g | :                       | 64<br>64<br>64 | 2742/000300<br>2741/000300<br>2742/000000 |
| 400 x 300 x 320<br>367 x 268 x 317 | ンソン    |            | V<br>V                 |  | <i>v</i>               | ×                          | ~                |                             | 30 I<br>30 I<br>30 I       | 1,460 g<br>1,460 g<br>1,520 g | :                       | 56<br>56<br>56 | 3242/000300<br>3241/000300<br>3242/000000 |






| Outer Dimensions<br>(in mm)        | Sides  |                                      | Bottom F   |                        |                            | Hand             | grips          | Volume | Weight  | Stock Item in Colour(s) | PU  | Article No. |
|------------------------------------|--------|--------------------------------------|--|------------------------|----------------------------|------------------|----------------|--------|---------|-------------------------|-----|-------------|
| Inner Dimensions<br>(in mm)        | pasolo | periorateu<br>closed,<br>smooth base | closed, smooth base,<br>with drainage holes<br>for water | ribbed,<br>closed base | ribbed,<br>perforated base | closed handgrips | open handgrips |        |         |                         |     |             |
| 400 x 300 x 70<br>367 x 268 x 58   | •      |                                      |  |                        | V                          | ~                |                | 5.4    | 470 g   |                         | 136 | 0741-330000 |
| 400 x 300 x 120<br>367 x 268 x 108 | •      |                                      |  |                        | ~                          | •                |                | 10.2 l | 680 g   |                         | 160 | 1241-330000 |
| 400 x 300 x 170<br>367 x 268 x 158 | •      |                                      |  |                        | ~                          | •                | <b>~</b>       | 14.9 l | 820 g   |                         | 112 | 1742.330000 |
| 400 x 300 x 220<br>367 x 268 x 208 | •      |                                      |  |                        | V                          |                  | •              | 19.8 l | 920 g   |                         | 80  | 2242.330000 |
| 400 x 300 x 270<br>367 x 268 x 258 | •      |                                      |  |                        | ~                          |                  | •              | 24.6 l | 1,140 g |                         | 64  | 2742.330000 |
| 400 x 300 x 320<br>367 x 268 x 308 | •      |                                      |  |                        | V                          |                  | ~              | 29.0   | 1,280 g | •                       | 56  | 3242.330000 |











| Outer Dimensions<br>(in mm)        | Sid      | les        | Во                     |  | Bottom I               |                            | Handgrips        |                | Volume | Weight  | Stock Item in Colour(s) | PU | Article No. |
|------------------------------------|----------|------------|------------------------|--|------------------------|----------------------------|------------------|----------------|--------|---------|-------------------------|----|-------------|
| Inner Dimensions<br>(in mm)        | closed   | perforated | closed,<br>smooth base | closed, smooth base,<br>with drainage holes<br>for water | ribbed,<br>closed base | ribbed,<br>perforated base | closed handgrips | open handgrips |        |         |                         |    |             |
| 400 x 300 x 220<br>367 x 268 x 217 | V        |            | V                      |  |                        |                            | <b>v</b>         |                | 20.8   | 970 g   |                         | 80 | 2243/000300 |
| 400 x 300 x 270<br>367 x 268 x 267 | <b>V</b> |            | ~                      |  |                        |                            | <b>V</b>         |                | 25.6 l | 1,180 g |                         | 64 | 2743/000300 |
| 400 x 300 x 320<br>367 x 268 x 317 | <b>V</b> |            | V                      |  |                        |                            | ~                |                | 30 l   | 1,360 g |                         | 56 | 3243/000300 |





| Outer Dimensions<br>(in mm)        | Sid      | les        | Bottom I               |  |                        | Hand                       | grips            | Volume         | Weight | Stock Item in Colour(s) | PU | Article No. |             |
|------------------------------------|----------|------------|------------------------|--|------------------------|----------------------------|------------------|----------------|--------|-------------------------|----|-------------|-------------|
| Inner Dimensions<br>(in mm)        | closed   | perforated | closed,<br>smooth base | closed, smooth base,<br>with drainage holes<br>for water | ribbed,<br>closed base | ribbed,<br>perforated base | closed handgrips | open handgrips |        |                         |    |             |             |
| 600 x 400 x 220<br>567 x 367 x 217 | V        |            | <b>V</b>               |  |                        |                            | •                |                | 44.2   | 1,540 g                 |    | 40          | 2263/000300 |
| 600 x 400 x 270<br>567 x 367 x 267 | <b>V</b> |            | ~                      |  |                        |                            | <b>'</b>         |                | 54.4 l | 1,860 g                 |    | 32          | 2763/000300 |
| 600 x 400 x 320<br>567 x 367 x 317 | <b>V</b> |            | ~                      |  |                        |                            | ~                |                | 64.5 l | 2,070 g                 |    | 40          | 3263/000300 |
|                                    |          |            |                        |  |                        |                            |                  |                |        |                         |    |             |             |
| 600 x 400 x 220<br>567 x 367 x 217 | <b>V</b> |            | •                      |  |                        |                            | ~                |                | 44.2   | 1,670 g                 | -  | 40          | 2264/000300 |
| 600 x 400 x 270<br>567 x 367 x 267 | <b>V</b> |            | ~                      |  |                        |                            | ~                |                | 54.4 l | 2,030 g                 | -  | 32          | 2764/000300 |
| 600 x 400 x 320<br>567 x 367 x 317 | ~        |            | <b>V</b>               |  |                        |                            | ~                |                | 64.5 l | 2,280 g                 | -  | 40          | 3264/000300 |

|              | Outer Dimensions<br>(in mm) | Description                     | Weight | Stock Item<br>in Colour(s) | PU  | Article No. |
|--------------|-----------------------------|---------------------------------|--------|----------------------------|-----|-------------|
| 200 x 150 mm |                             |                                 |        |                            |     |             |
|              | 200 x 150                   | Click lid,<br>without container | 58 g   |                            | 50  | 0016        |
|              |                             |                                 |        |                            |     |             |
| 300 x 200 mm |                             |                                 |        |                            |     |             |
|              |                             |                                 |        |                            |     |             |
|              | 300 x 200                   | Click lid,<br>without container | 135 g  |                            | 50  | 0066        |
|              |                             |                                 |        |                            |     |             |
| 400 x 300 mm |                             |                                 |        |                            |     |             |
|              |                             |                                 |        |                            |     |             |
|              | 400 x 300                   | Loose lid,<br>without container | 320 g  |                            | 200 | 0078        |
|              |                             |                                 |        |                            |     |             |
| 600 x 400 mm |                             |                                 |        |                            |     |             |
|              |                             |                                 |        |                            |     |             |
|              | 600 x 400                   | Loose lid,<br>without container | 625 g  |                            | 200 | 0077        |
|              |                             |                                 |        |                            |     |             |
|              |                             |                                 |        |                            |     |             |

|                    | Outer Dimensions<br>(in mm) | Description                     | Weight | Stock Item in Colour(s) | PU  | Article No. |
|--------------------|-----------------------------|---------------------------------|--------|-------------------------|-----|-------------|
| 200 x 150 mm       |                             |                                 |        |                         |     |             |
|                    | 200 x 150                   | Click lid,<br>without container | 58 g   | transparent             | 50  | 0016        |
| 300 x 200 mm       |                             |                                 |        |                         |     |             |
|                    | 300 x 200                   | Click lid,<br>without container | 135 g  | ☐ transparent           | 50  | 0066        |
| 400 x 300 mm       |                             |                                 |        |                         |     |             |
|                    | 400 x 300                   | Loose lid,<br>without container | 240 g  | ☐ transparent           | 560 | 0097        |
| 600 x 400 mm       |                             |                                 |        |                         |     |             |
|                    | 600 x 400                   | Loose lid,<br>without container | 480 g  | transparent             | 280 | 0098        |
| To be and the same |                             |                                 |        |                         |     |             |

|                      | Outer Dimensions<br>(in mm) | Description  | Weight | Stock Item in Colour(s) | PU  | Article No.  |
|----------------------|-----------------------------|--|--------|-------------------------|-----|--------------|
| 200 x 300 mm         |                             |  |        |                         |     |              |
|                      | 200 x 300                   | Hinged lid with assembly accessories consisting of two grey hinges and two blue locking bars, pre-mounted on the lid | 135 g  |                         | 50  | 0069         |
| 400 x 300 mm         |                             |  |        |                         |     |              |
|                      | 400 x 300                   | Hinged lid with assembly accessories consisting of two grey hinges and two blue locking bars, pre-mounted on the lid | 320 g  |                         | 200 | 0081         |
| 600 x 400 mm         |                             |  |        |                         |     |              |
|                      | 600 x 400                   | Hinged lid with assembly accessories consisting of two grey hinges and two blue locking bars, pre-mounted on the lid | 635 g  |                         | 200 | 0082         |
| Assembly Accessories |                             |  |        | Stock Item in Colour(s) | PU  | Article No.  |
|                      |                             | bly accessories - standard<br>ocking bar, per piece<br>Hinge, per piece  |        | •                       | 1 1 | 7240<br>7242 |
|                      | А                           | ssembly accessories<br>Hinge, per piece  |        | -                       | 1   | 7241         |



|                      |                             |  |        |                         |     | goa ziao     |
|----------------------|-----------------------------|--|--------|-------------------------|-----|--------------|
|                      | Outer Dimensions<br>(in mm) | Description  | Weight | Stock Item in Colour(s) | PU  | Article No.  |
| 200 x 300 mm         |                             |  |        |                         |     |              |
| 4                    | 200 x 300                   | Hinged lid with assembly accessories consisting of two white hinges and two white locking bars, pre-mounted on the lid | 135 g  | □ transparent           | 50  | 0069         |
| 400 x 300 mm         |                             |  |        |                         |     |              |
|                      | 400 x 300                   | Hinged lid with assembly accessories consisting of two white hinges and two white locking bars, pre-mounted on the lid | 260 g  | □ transparent           | 560 | 0091         |
| 600 x 400 mm         |                             |  |        |                         |     |              |
|                      | 600 x 400                   | Hinged lid with assembly accessories consisting of two white hinges and two white locking bars, pre-mounted on the lid | 480 g  | ☐ transparent           | 280 | 0092         |
|                      |                             |  |        |                         |     |              |
| Assembly Accessories |                             |  |        | Stock Item in Colour(s) | PU  | Article No.  |
|                      |                             | bly accessories - standard<br>ocking bar, per piece<br>Hinge, per piece  |        | :                       | 1   | 7240<br>7242 |
|                      | A                           | ssembly accessories<br>Hinge, per piece  |        | -                       | 1   | 7241         |

